## Asko L 50

**BIOACTIVATORS** LINE

- Improves nutrients use efficiency
- Stimulates fruit growth and fruit swelling
- Increases tolerance to abiotic stress

BIOSTIMULANT BASED ON ASCOPHYLLUM NODOSUM







## **Asko L 50**



## **DESCRIPTION**

Asko L 50 is biostimulant derived from the brown alga *Ascophyllum nodosum* that improves plant nutrients use efficiency, tolerance to abiotic stress and, in general, the qualitative characteristics of crops. Asko L 50 is a natural concentrate of organic compounds such as betaines, polyamines, auxins and natural cytokinins, which induce a positive effect on yields both in qualitative and quantitative terms. In fact, Asko L 50 promotes flowering and fruit setting and delays cellular ageing while increasing the amount of nutrients absorbed by the plant. As a result, Asko L 50 determines an increase in yield, greater efficiency in the use of water and a reduction in production costs. Finally, the product stimulates the production of phytoalexins, compounds that improve resistance responses to harmful agents.

CO				

Organic Carbon (C) 5,5 % Mannitol 18 g/l

Seaweed cream with a high concentration of Ascophyllum nodosum (brown seaweed) \*

Raw materials: seaweed cream (Ascophyllum nodosum) obtained directly through the processes provided for in Annex I of Reg. (EC) 889/2008 as amended.\* Data not shown on the label.

DOSES AND INSTRUCTIONS FOR USE					
Crops	Foliar application	Dose ml/hl			
Tree crops	From vegetative resumption until fruit swelling	150-250			
Horticultural crops	Throughout the entire vegetative cycle	150-250			
Industrial crops	Throughout the entire vegetative cycle	150-250			
Ornamental crops	Throughout the entire vegetative cycle	150-250			
Crops	Application in Fertigation	Dose I/ha			
All crops	Throughout the entire vegetative cycle	2-3			

The above doses are meant to be a merely indicative value and may vary in relation to the soil and climate conditions of each area.

## WARNINGS

In case of combination with other products, it is always advisable to carry out preliminary miscibility and compatibility tests. Avoid mixing with products with an alkaline reaction and/or with a strong acid reaction. The association with copper-based products on all crops is not recommended, except for olive tree, grapevine and artichoke. In a protected environment and in the case of mixtures, reduce the doses by 20-30 %. **Asko L 50 is a biostimulant, as required by Legislative Decree No. 75/2010.** 

 FORMULATION
 PACKAGES
 DENSITY (T=20°C)
 pH (sol. 6 %)
 CONDUCTIVITY (sol. 10 %)

 Soluble liquid
 1 - 5 - 10 - 20 l
 approx. 1140 kg/m³
 approx. 12,5
 approx. 23,2 dS/m



www.agriges.com info.contact@agriges.com





Foliar application



Fertigation



Allowed in organic farming