## Ryzoclean

RESISTANCE INDUCERS

Increases the organic matter content in the soil and stimulates root development

Improves nutrient availability and their absorption

Fluid microelement mixture with a great assimilability

REGENERATE SOILS WITH VEGETABLE EXTRACTS OF TANNINS AND INACTIVATED SACCHAROMYCES YEAST





 $\bigcirc$ 

## Ryzoclean



## **DESCRIPTION**

A widespread problem in both fruit and horticulture is the increasing difficulty in obtaining qualitatively and quantitatively satisfactory yields due to a number of factors attributable to 'soil fatigue'. Ryzoclean is a product based on microelements complexed with plant extracts containing tannins and inactivated *Saccharomyces cerevisiae* yeast extracts, designed to regenerate the fertility of tired and depleted soils and to promote plant development, even under adverse conditions. Ryzoclean applications have a positive effect on the chemical and physical properties of the soil, facilitating the growth of both field and greenhouse crops. Finally, thanks to its acidic pH, the product creates a favourable environment for nutrient uptake.

COMPOSITION	w/w	w/v		w/v
Soluble Boron (B)	0,2 %	0,2 %	Total Zinc (Zn) complexed with vegetable extracts	4.0.0/
oluble Zinc (Zn)	1,5 %	1,6 %	containing tannins	1,8 %

Elements: microelements chelated with vegetable extracts containing tannins. %w/w equivalent to % w/v at 20°C.

DOSES AND INSTRUCTIONS FOR USE					
Crops	Application in Fertigation	Dose I/ha			
All crops	Before sowing/transplanting With the crop in place, after overcoming stress from transplanting	150-200 25-50			
Crops	Localised application with root feeder	Dose			
Tree crops	With the crop in place, prepare a solution at the indicated concentration	2-3 %			

The above doses are indicative and may vary according to the soil and climate characteristics of each area.

## **WARNINGS**

When mixing with other products it is always advisable to carry out miscibility, compatibility and phytotoxicity tests on a limited number of plants. Do not mix with products with a strong acid or alkaline reaction. Shake the container vigorously before use. Use only in cases of recognised need. Do not exceed appropriate doses.

FORMULATION	PACKAGES	DENSITY (T=20°C)	<b>pH</b> (sol. 6 %)	CONDUCTIVITY (sol. 10 %)
Soluble liquid	5 - 10 - 20	approx. 1090 kg/m³	approx. 3,0	approx. 4,3 dS/m



